

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Public Water Supply Name

53,000 53,001 4 053,030

List PWS ID #s for all Water Systems Covered by this CCR

Water Act requires each community public water system to develop a

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other lopies in Office for Customers to pick up.
	Date customers were informed: 6 /3 /89
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed://
4	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Starbuille Raily Hews
	Date Published: 6/3/09
	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Nama/Title (President Mayor Owner etc.)

Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

The State of Mississippi

OKTIBBEHA COUNTY

AFFIDAVIT OF PUBLICATION

Before me, in and for said county, this day personally came the undersigned representative of the Starkville Daily News, a newspaper published in the City of Starkville, of said county and state, who being duly sworn deposeth and says that the publication of a certain notice, a true copy of which, is hereto affixed has been made for ______ weeks consecutively, to wit:

Dated	001
Dated, 20_	
Dated ————, 20_	
Dated —————, 20_	
Dated, 20_	

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that the publication thereof has been correctly made.

the publication thereof has been correctly made.		
By: Notary Public Notary Public State of Mississippi At Large My Commission Expires: October 19, 2010 Bonded Thru Heiden, Brooks & Garland, Inc.	STARKVILLE DAILY NEWS By: () Publisher () Clerk	
SEAL:	Publication Fee Proof(s) Of Publication Total Charges AFFIDAVIT# 33364	\$ 541.44 \$ 541.44

2008 Annual Drinking Water Quality Report Clayton Village Water Association, Inc. PWS#: 0530005, 530011 & 0530038 May 2009

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our judic water system and is available for viewing upon request. The wells for the Clayton Village Water Association, Inc. have received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Forrest Ponder, Operator at 662-324-8260. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Saturday of each month at 9:00 AM at the Clayton Village Water Association office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water consaminants that we detected during for the period of January 1" to December 31", 2008. In cases where monitoring wasn't required in 2008, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive meterials and can pick up substances or contaminants from the presence of animals or from human activity, microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, espitic systems, agricultural livestock operations, and wildfile; inorganic contaminants, such as seits and metals, which can be naturally occurring or result from urban storm-water production, mining, or farming; pasticides and herbicides, which may come from a variety of acurcas such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volabile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring to the interest of oil and gas production and mining stations and septic systems; radioactive contaminants, which can be naturally occurring to the interest of oil and gas production and mining stations and septic systems; radioactive contaminants, which can be naturally occurring to the thresult of oil and gas production and mining table of the can be entered to one of the can be interested to one the result of oil and gas production and mining table of the can be entered to one of the second of the can be antered to one of the second of the can be reasonably expected to contain at least small

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the bast available treatment technology.

Maximum Contaminant Level Goal (MCLC) - The "Goal" (MCLC) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:	0530006	23000		TEST RES	ULIS			NOTE TAXABLE PARTY OF THE PARTY
Contaminent	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/AGL	Unit Measurement	MCLG	MGL	Likely Source of Contamination
Inorganie	Contami	inants			$\Pi(L)$			
10. Barium	N	2006*	072	.068072	Ppm	1		Discharge of drilling wastes: discharge from metal refineries, erosion of natural deposits
13. Chromium	N	2006*	1	No Range	ppb	100	100	Discharge from steel and pulp milts: erosion of natural deposits
14. Copper	N	2008	.4	0	ppm	1.3	AL=1.3	Corresion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2008	3	0	ppb		AL=15	Corresion of household plumbing
DEPOSITE OF	0 0199							systems, erosion of natural deposits
Disinfecti	on By-P	roducts 2007*		No Range	ppb	0	60	By-Product of drinking water disinfection.
Shlorine	Y	2008	1.07	.63 ~ 1.07	ppm .	0	MORL = 4	Water additive used to control microbes
PWS ID#	: 053001 Vialation Y/N		Level Detecte	TEST RE Range of Detects or # o Samples Exceeding MCL/ACL	Unit	MCL.	G MCI	Likely Source of Contamination
Inorganic	Contan	ninants	en de e	for State 1	eapple de			1.3% lounably reque
10. Barium	N	2006*	.048	No Range	ppm		d bro	Discharge of drilling wastes, discharge from metal refineries, erosion of natural deposits
13. Chromium	N	2006*	.5	No Range	ppb	1	00 1	DO Discharge from steel and pulp milts; erosion of natural deposits
14. Copper	N	2008	er Con	O SALAD V	ppm		1.3 AL=	systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N.	2008	2	0 512 04	ppb		0 AL=	15 Corrosion of household plumbin systems, erosion of natural

Disinfection By-Products By-product of drinking water chlorination. 80 82. TTHM [Total No Range 2007 1.1 opb Water additive used to control 1.34 5-1.34 0 MORL = 4 2008 ppm microbes PWS ID#: 0530036 TEST RESULTS MCLG MCL Likely Source of Contamination Date Collected Level Detected Range of Detects or # of Samples Contaminant Measuremen **Inorganic Contaminants** Discharge of drilling westes; discharge from metal refineries; erosion of natural deposits .057 055 - D57 ppm 10. Barium

Disinfection By-Products

81. HAA5	N	2007*	4	No Range	opb	0	60	By-Product of drinking water disinfection.
Ontorine	N	2008	.8	.48	ppm	0	MORL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample regulred for 2008.

As you can see by the tables, our system had no contaminate violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitoritest for chlorine residuals as required by the Stage 1 Disinfection By-Products Ruls. Our water system # 0530006 failed to complete these monitoring requirements in May of 2005. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements. MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sittly for several hours, you can minimize the potential for lead exposure by flushing your plot 90 seconds to 2 minutes before using water drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water heated, but onlinking carporate appropriate water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hottine or at http://www.eps.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601,578,7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily include that the water poses a health risk More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-600-426-4791.

Some people may be more vulnerable to contaminants in trinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to isseen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Ruls, all community public water supplies were required to sample quarterly for radionuclides beginning. January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississiph State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and resorting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7516.

The Clayton Village Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Name/Title (President, Mayor, Owner, etc.)



BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

1D#s for all Water Systems Covered by this CCR

confide must be	deral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer nce report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please .	Answer the Following Questions Regarding the Consumer Confidence Report
П	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other topies in office for two oners to pick up.
	Date customers were informed: 10 /3 / 109
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: / /
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Starbuille Carlin News
	Date Published: 6/3/09
ī]	CCR was posted in public places. (Attach list of locations)
	Date Posted: / /
	CCR was posted on a publicly accessible internet site at the address: www
	<u>IFICATION</u>
the for consist	by certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in m and manner identified above. I further certify that the information included in this CCR is true and correct and is tent with the water quality monitoring data provided to the public water system officials by the Mississippi State ment of Health, Bureau of Public Water Supply.

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518 7-

Ç I मंत्र

0

urg (jrg

а Д.Б.

េខផ 2

10

αç U.

타

\$1 31 u

> 0 Ċ

Ţ îê 21 31

7



Eupora. She was a homemaker.

2008 Annual Dinking Water Cuarty Report Csurton Vitage Water Association, Inc. PWSW: 1530006, 830211 & 0530099 May 2009

Ware obtased to present to you this year's Annual Duality Water Report. This report is designed to inform you about the quality water and services we deliver to you usery say. Our construct goal is to provide you with a softe and openation supply of annional water. We want you to understoned the affordative makes to constructly improve the water understand the annual to understand the affordative makes to constructly improve the water understand product our water resources. We are committed to annually of your water. Our water source is from waite drowing from the Gordo Fermiolon Aquities.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its clinking vater authority is tientified polarizal according of continuous control of con

If you have any questions about title report or concerning your water utility, please contact Fonest Ponder. Operator at 852-324-8280 We want on their water utility. If you want to build customers to be intermed about their water utility. If you want to build not be intermed about their water utility. If you want to be intermed about their water utility. If you want to be about the provided about their water utility. If you want to be intermed about their water water association office.

They are half on the asport Serieday of each manth at \$40.0 AM at the Clayton Village Vissor Association office.

They are held on the sepord Serveday of each month at 8:CO AM at the Clayton Village Waser Association biffore.

We nothingly morition for constituents in your definiting water according to Federal and State later. This Labe below fairs all of the ordering for the period of Jerusary 11th December 31th, 2008. In cases where monitoring wasn't required in 2008, the later than the constituents from the production of the control of the control of the services of land or undergound, it discovers returning occurring measures and control of the control of and or undergound, it discovers returning occurring in the control of control control control of control control control of control control of control con

In this bable you will disting terms and approximations you might not be remiser with. To liefly you better understand these terms we've provided the showing desirations:

Action sever - the concentration of a contentional which, it exceeded, triggers treatment or other requirements which a water eyelest must follow:

Assumers Controlled Heart (ASCL) - The "Masterier's Alcohed" (SOCL) is the highest level of a contaminant that is alcohed in statuting water. ARCLS are not as close to time applicable as Residue using the thest available transferences technology.

adaptives Consensus Level Grad (ACLG) . The 'Contract() is the level of a contaminant in defining water below which there is no known or appeared darks really. MCLGs electrons margin of safety.

Same per motion (gain) or heightenine per filer (man) - one per per million corresponds to one manute in two years or a single penny in \$10,000.

Parts per cities (app) or Alicropanins set they are set per billion corresponds to one minute in 2,000 years, or a single penny si \$10,000,000.

PWS ID#: 0530806		Date	Lavai	Rungs	Un'ı	IACLG	MCL	Likely South of Contamination
Cortaininet -	Victation	Collected	Detaded	Detects or # of Samples Exceeding secured:	hassurematic			to be a beautiful to be seen and the seen an
laorganic (Contam	inunts			·			Discharge of dolling wastes:
	'N	2008	072	.083072	Ppry.			enstor of natural deposits
io Belun	H	2003	072	No Penge	Dbp S,bs.A.	100	100	discharge from metal refinerers, emelos of natural deposite Discharge from steel and publi miles emalor of smural deposite
10. Barlum	H	2008	1 .4				(00 AL=1.3	discharge from metal refunerita, omeloa of natural deposits Discharge from about and pulp mige: amaton of numeral deposits

ļ					T	<u> </u>			eyeteme. osposits	erosion os natural	1
	Disinfection	By-P		£	Tie Bassa	cub	ا م			I districtive waster	$\frac{1}{2}$
	81 reAs	Ν Υ	2007	1.07	No Rengo .63 - 1.07	pper.	٥	MCRL = 4	Distance Con. Water acciding	e nacq to abimaj	

The State of Mississippi

OKTIBBEHA COUNTY

AFFIDAVIT OF PUBLICATION

Before me, in and for said county, this day personally came the undersigned representative of the Starkville Daily News, a newspaper published in the City of Starkville, of said county and state, who being duly sworn deposeth and says that the publication of a certain notice, a true copy of which, is hereto affixed has been made for ______ weeks consecutively, to wit:

Dated 0.3
Dated 20
Dated
Dated
Dated ————————————————————————————————————

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that the publication thereof has been correctly made.

By: Notary Public Notary Public State of Mississippi At Large My Commission Expiros: October 19, 2010 Bouged Thru Helcen, Brooks & Garland, in-	STARKVILLE DAILY NEWS By: () Publisher W Clerk
CONCEST THIS TREASE, GROWN	

SEAL:

Publication Fee Proof(s) Of Publication Total Charges

\$ \$ <u>541.44</u>

AFFIDAVIT#

5

1

2

n

f

r y

t

3 n

ts in o

E

rss es

ck

3

81. HAAS

Caferine

60 By-Product of grinking water

MDRL × 4 Water additive used to control

micropas

PWS ID#:	Viciation Y/N	Date Colected	Lawel Dainster	Range of Detects or a of Samples Exceeding MCL/ACL	Unt Messurement	MOLG	MCL	Likely Source of Contamination
Inorganic (ontam	inants						
10. Borium	N	2008*	.048	No Range	ppm	2		Discharge of drilling wastes, discharge from metal refineries; erosion of natural deposits.
13. Ohronsium	H	\$0064	18	No Renge	bbp	100	1	Discharge from steel and pub miles; ereaion of natural deposits
14. Copper	N	2008	1.	Ö	ppm	1.3	ALet	Corrector of house half plumbing systems, croston of natural deposits: leaching from wood preservatives
17. Lead	N	2008	2	0	oob	0	AL=	
82 TTHK (Total Thelomethenes) Chlorine	-		1.1	No Ranga 5 = 1.34	ppo	9 MD	8C	By-product of drinking water chlomation. Water additive used to control
								microbes
PWS ID#:				TEST RES	Market of Street, or Street, or other property of the Street, and the Street, or other property of the Street, or other property or other		المناسعة الما	
Contaminant	AW	Date Collected	Level Detecto	Range of Detects or # o' Samples Expecting MOL/ACL	Measurement	MCLG	MCL	Likely Source of Contamination
Inamuania (Contam	inants						
raci Runce		2006*	1.057	1.08E - C5?	ppm	2	-	2 Discharge of diffing westers; discharge from metal refrontes.

^{*} Most recent sample. No sample required for 1008.

M 2007*

As you can see by the fables, our system had no contaminate violations. We're proud that your drinking water meets or accessed an in Faderal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these layers.

opt

ppm

0

No Range

We are required to monkly your dirinking white far apocific constituents on a monthly basis. Results of regular monitoring are an indicator of weether or not our dirinking wester meets finants standards. Regiming January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that gain choicine as a primary distinction to monitorinate for chickine residuals as required by the Stage of Distinction By-Products Refar. Dur water systems 4 650000 failed to complete these monitoring requirements for bacteriological sampling that chowed no colifering present man effort to ensure systems complete all monitoring requirements. MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present devalure levels of lead can cause statious health problems, expecially for pregnant women and young children. Lead in drinking water a primarily from materials and components associated with service lens and home plumbing. Our Weter Association is responsible for positing in the quality drinking water, but gennet control the watery of malenals used in plumbing components. When your water has been string for every a hours, you can imminist the potentials for lead exposure by furthing your tap for 30 seconds to 2 ministers in the potentials for lead your water for children for occasing it you are concerned about lead in your water, you may wish to have your water leaded. Information on lead in principle, and applicable of the ministers exposure is available from the Safe Devising Water Hottler or at high-fivew-upps gov/definite/birds. The Misclespip's State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact \$31.576,7562 if you wish to have your water testing.

All sources of drinking wists are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, lipippade or organic premises and rectoactive substances. All drinking witer, including bottled water, may receivably be expected to contain a listed small small sendunts of some contaminance. The presence of contaminants does not necessarily include that the water pages at health fall More and population and populations and potential health effects can be obtained by quilling the Emirronmental Protection Agency's Sele Unitaing Water Hotting at 1-800-426-4701.

Some people may be more vulnariable to gonisminants in drinking vister than the general population. Immuno-compromised persons such as persons with carear undergoing chemotherapy, persons who have undergoine organ transplants, people with HM/ADS or other terroune system disorders, some elderly, and infants can be particularly at risk from milechors. These people should seek advise about drinking water from their health care, showlines. EPA/DDC guidelines on appropriate means to lasteen the risk of infection by cryptosporicium and other milechological contiendaments are sivalizable from the Safe Drinking Water Hottine 1-500-426-4791.

AMESBAGE FROM MEDIT CONCERNING RADIOLOGICAL SAMPLING

in apportance with the Redicracifies Rule, all community public water supplies were required to sample quarterly for redicracifies beginning sensing 2007. Documber 2007. Your public water supply completed campling by the echedulos gesiding: however, during an audit of the Histological bisite Department of Health Radiological health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Affinough this was not the result of fraction by the public water supply. MSDH was required to issue a violation. The Bursau of Fublic Water Supply is taking action to reache this same as quickly as possible. If you have any questions, please contact Melissa Perker, Deputy Director. Bureau of Public Water Supply, at 601,576,7618.

The Clayton Yillege Wither Association, inc. works around the deck to provide top quality water to away tab. We ask that all our customers help up protect our water address, which are the heart of our community, our way of life and our children's future.

2008 Annual Drinking Water Quality Report Clayton Village Water Association, Inc. PWS#: 0530006, 530011 & 0530036 May 2009

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Clayton Village Water Association, Inc. have received a moderate susceptibility ranking to contemination.

If you have any questions about this report or concerning your water utility, please contact Forrest Ponder, Operator at 662-324-8260. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Saturday of each month at 9:00 AM at the Clayton Village Water Association office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water conteminants that we detected during for the period of January 1st to December 31st, 2008. In cases where monitoring wasn't required in 2008, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming: pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; redioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that rap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Comeminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a conteminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:	0530006	Ĭ		TEST RESULTS					
Contaminant Violation Y/N		Date Collected		Lavel Detected	Range of Detects or # of Samples Exceeding MCUACL	Unit Messurement	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants							
10. Barlum	N	2006*	.072	.068072	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries, erosion of natural deposits	
13. Chromium	N	2006*	1	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	2008	.4	0	ppm	1.3	AL#1.3	Corregion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	

and the state of t								systems, erosion of natural deposits
Disinfect	ion By	-Produc	ts					
81. HAA5	N	2007*	4	No Range	ppb	0		By-Product of drinking water disinfection.
Chlorine	Y	2008	1.07	.63 1.07	ppm	0	MDRL = 4	Water additive used to control microbes

PWS ID#: (JOSUULI	L		TEST RES	,	1	T 3.4633	Likely Source of Contamination
Conteminant	Violation Y/N	Date Collected	Level Datected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Cikely Scores of Comamination
Inorganic (Contam	inants						
10. Barium	N	2006*	.048	No Range	ebm	2		Discharge of crilling wastes, discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2006*	.5	No Range	ppb	100	10	Discharge from steel and pulp milis; erosion of natural deposits
14. Copper	N	2008	.4	0	ppm	1.3	AL=1.	 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2008	2	0	ρpb	0	AL≃1	5 Corrosion of household plumbing systems, erosion of natural deposits
Disinfection B2. TTHM [Total	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		.1 N	o Range	ppb	G		By-product of drinking water chlorination.
trihalomethanes] Chlorine	N 2	2008 1	.34 .5	5 1.34	ppm	O ME		Water additive used to control microbes

PWS ID	f; 053003:	5		TEST RES	OLLID		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Contaminant	Violation Y/N	Date Collected	Leve! Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorgani	c Contam	inants						
10. Barium	N	2006*	.057	.055057	mad		2	Discharge of drilling wastes, discharge from metal refineries erosion of natural deposits
Disinfect	ion By-Pı	oducts			up apte diseasy, mad decensory production strategy	-	Kidagaga silan risko alason y e nure.	
	N	2007* 4	N	o Range	pph	0	60	By-Product of drinking water
81. HAA5	14					í		disinfection.

^{*} Most recent sample. No sample required for 2008.

As you can see by the tables, our system had no contaminate violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. Our water system #0530006 falled to complete these monitoring requirements in May of 2005. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or booking, if you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.eps.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample Please contact 801.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population, immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-428-4791.

****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING****

in accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melisse Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Clayton Village Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Clayton Village Water Association 1345 Highway 182 East Starkville, MS 39759

e-mail: <u>www.claytonvillagewater.com</u> Office:(662)324-8260 Fax:(662)324-3381

Fax Cover Sheet

Date: 6 17 69

To:
ATIN: Jean Crockell
TAX #: (101) 576 7822
From: Willette McClain
Pages: B _(including cover)
Comments:
nelosed is the affidaut of sublication
the publication
The state of the s